

Carefully cut out the four large wheels. Stack wheels on top of each other from largest to smallest. Make a hole in the center. Fasten with a rivet, brad, thumbtack or whatever. Voilal It is ALIVE!

Well, sort of. Not at all, really, It's only made of paper.


Be careful to center the holes very well. A poorly aligned wheel is hard to read.


Now you can decode the secret messages that will appear in the Girl Genius comics and write complicated notes to your friends!

Check our website for updates and news!

www.girlgenius.net

M





## egirl genius Decoder Wheel

## THE KEY BOX

Setup instructions are given at the beginning of the message and will be contained within a box or < > brackets.

These symbols are not encoded and provide the initial configuration for a decoding session.

Look at the first three symbols in the box. Starting with the center ring and working outward, set the rings so that these three symbols align with the red arrow. You are now set up to begin decoding. Symbol alignment can shift during a decoding session (see Commands.)

The next two symbols in the box indicate the Code Ring and the Target Ring. The Code Ring represents the symbols in the coded message. The corresponding symbols on the Target Ring form the translation. Code and Target Rings can shift during a decoding session (see Commands.)

## COMMANDS

The Commands are the eight symbols on the rings that are neither numbers nor letters. Except for the Commands given in the Key Box, which are not encoded, always make sure that you decode a symbol before acting on it! Sometimes a Command symbol is really just a letter or number in disguise, and Commands are often encoded as other symbols. Some Commands are made up of more than one symbol (see below). When you decode a Command, follow its instructions before decoding any further.

- \*=Blue (inner) Ring
- | = Yellow (middle) Ring
- S=Red (outer) Ring
- \$\frac{\pmathcal{E}}{\text{FOLLOWED BY A RING COMMAND}} = \text{Code Ring.} The indicated ring immediately becomes the new Code Ring.}
- (FOLLOWED BY A RING COMMAND)=Target Ring. The indicated Ring immediately becomes the new Target Ring.
- Ψ (FOLLOWED BY A RING COMMAND AND A ONE DIGIT NUMBER)=Spin Clockwise. Spin the indicated ring as many symbols clockwise as is indicated by the following number. Use the red arrow as a guide.
- %(FOLLOWED BY A RING COMMAND AND A ONE DIGIT NUMBER)=Spin Counter-Clockwise. Spin the indicated ring as many symbols counter-clockwise as is indicated by the following number. Use the red arrow as a guide.
- ₩=lgnore/Resume. Ignore everything (including Commands) until you see this Command again.

## DECODING THE MESSAGE

Work from left to right. Find the symbol that you wish to decode on the Code Ring. Look for its corresponding symbol on the Target Ring. If what you decode turns out to be a Command, follow its instructions before proceeding.

ALWAYS DECODE A SYMBOL BEFORE FOLLOWING COMMAND INSTRUCTIONS!



& 112000 Kaja Foglio



studiofoglio.com www.girlgenius.net

COPIES MAY BE MADE FOR PERSONAL NON-PROFIT USE ONLY. THANK YOU!